

Professional Shower Screen Designer, Manufacturer and Wholesaler



Warehouse Address: 2/118 Bungaree Rd, Pendle Hill NSW 2145 Australia Warehouse in QLD branch: 14 Annie St, Coopers Plains,4108,QLD

Email: Sales@ozcovey.com.au
Email: SalesQLD@ozcovey.com.au

Website: www.ozcovey.com.au



Note: All of our shower screen products do NOT include shower base which displayed in this catalogue.

#### **ABOUT US**



Specialized in shower screen design, manufacture and wholesale, Covey offers our customers a wide selection of high-end shower screens. Starting from early 2000s, we have built partnership with our customers to bring quality and elegant shower screen products to households around the world.

At Covey Australia, while keeping pace with advanced technologies, we choose only the finest grade material for production to ensure what we offer stands the test of the time.

With 20 years of expertise in design, manufacture and service, as well as ample production capacity. Besides Sydney Australia, we also have branches in:

Los Angeles, USA New York, USA Toronto, Canada Auckland, New Zealand

A highly-efficient and well-organized facility with a design team of experience and dedication is ready to offer solutions of your shower screen projects, whether standard or custom-made.

Covey Australia is committed to supplying products that makes life better. We hope what we offer contributes to an amazing shower experience for your customer, for you and for your family.

# INDEX

•	Frameless Sliding Door ( CVP031) · · · · · · · · · · · · · · · · · · ·	Page 1
•	Frameless Hinge Door Square (CVP062) · · · · · · · · · · · · · · · · · · ·	Page 2
•	Frameless Hinge Door Diamond (CVP063) · · · · · · · · · · · · · · · · · · ·	Page 3
•	Semi-Frame Sliding Door (PC047 & KW07) · · · · · · · · · · · · · · · · · · ·	Page 4
•	Square Semi-Frame Double Sliding Door (PC47S & CVS47S) · · · · · · · · · · · · · · · · · · ·	Page 5
•	Double Sliding Door (PCH47S) · · · · · · · · · · · · · · · · · · ·	Page 6
•	Curved Semi-Frame Double Sliding Door ( CVC47S) · · · · · · · · · · · · · · · · · · ·	Page 7
•	Framed 3 Sliding Door (PC-036) · · · · · · · · · · · · · · · · · · ·	Page 8
•	Semi-Frame Pivot Door (CVP025-01) · · · · · · · · · · · · · · · · · · ·	Page 9
•	Semi-Frame Pivot Door Wall to Wall (PC-025) · · · · · · · · · · · · · · · · · · ·	Page 10
•	Semi-Frame Diamond Shower Screen (CVP026/PC026)·····	Page 11
•	Fixed Panel with Black Frame (NC005) · · · · · · · · · · · · · · · · · · ·	Page 12
•	Frameless Walk In Shower Panel (CVP007) · · · · · · · · · · · · · · · · · · ·	Page 12
•	Single Fixed Panel (CVP011), Arch and Curve Walk in panel (CVP022, 017) · · · · · · · · · · · · · · · · · · ·	Page 13
•	Swing & Fixed - Swing Bathtub Screen (NC009, CVP010) · · · · · · · · · · · · · · · · · · ·	Page 14
•	Frameless & Hinged Bathtub Screen (CVP008, CVP006) · · · · · · · · · · · · · · · · · · ·	Page 15
•	Frameless overbathtub sliding (CVP032) & CVP012) · · · · · · · · · · · · · · · · · · ·	Page 16
	Framed Pivot Door (NC004) · · · · · · · · · · · · · · · · · · ·	Page 17
•	Fixed Bathtub Screen (NC008) · · · · · · · · · · · · · · · · · · ·	Page 17
•	Narrow Line Glass Fixed Panel (NC007) · · · · · · · · · · · · · · · · · · ·	Page 17
•	Framed Walk in Shower Panel Series (NC006, NC001, NC002, NC003) · · · · · · · · · · · · · · · · · · ·	Page 18
•	Frameless By-passing Sliding Doors with Wall Profile·····	Page 19



# CVP031 - Frameless Sliding Door

	#C\	/P031 Ava	ilable Si	zes Sca	le		
Front Door Siz	e Door Glass (mm)	Fixed Glass (mm)		Open (mm)	Max Ope Space (n	nm CI	rcular andle
870-890	435	455	4	120	440		<u>√</u>
890-910	453	455	4	130	450		<b>√</b>
910-950	473	475	4	130	460		<b>√</b>
950-1000	503	502	4	140	490		<b>√</b>
1000-1050	528	527	4	162	517		<b>√</b>
1050-1130	570	567	4	170	550		<b>√</b>
1130-1180	620	567	5	500	555		<b>√</b>
1180-1230	670	567	5	500	555		
1230-1300	694	617	5	526	601		
1300-1450	769	692	5	521	676		
1450-1650	869	792	5	571	776		
1650-1800	944	867	6	696	851		
1800-2000	944	1067	6	673	878		
2000-2100		PI	ease Check	With Su	pplier		
2100-2200		PI	ease Check	With Su	pplier		
2200-2300							
2300-2400		Pl	ease Check	With Su	pplier		
2400-2500		PI	ease Check	With Su	pplier		
	Return Panel Size(mm)						
800*2000	850*2000 900*2	000 950*2000	1000*2000	1050*2000	1100*2000	1150*2000	1200*20



#### **Accessory Finishes**











- Frameless sliding with 304 stainless steel accessories
- Reversible door direction
- Can do both Wall to Wall, and L shape
- Wall profile and roller can provide 10mm out-of-plumb adjustment

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



# **CVP062** - Frameless Hinge Door

PRODUCT INFORMATION						
Components	Image	Specification	Material			
Glass		10mm Thick	Tempered			
180° Door Hinge	15	161	304 Stainless Steel or Brass			

#CVP062 Available Sizes Scale			
Panel Size (mm)	Panel Size(mm)		
800*800*2000 1000*1000*2000			
850*850*2000	1100*1100*2000		
900*900*2000	1200*1200*2000		
950*950*2000	More sizes are available ···		

- SUS304 stainless steel or brass hinges
- To install as wall to wall or L shape
- Any door size can combine with any return panel size.
- nore doors and hinge panels available to match most of non-standard door side size from 700mm to 1400mm
- Glass shelf is optional to add

#### Please contact supplier for details

# Accessory Finishes Black Chrome Brushed Nickel Brushed Gold Gun Metal

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*




# **CVP063** - Diamond Frameless Hinge Door

# PRODUCT INFORMATION Components Image Specification Material Glass 10mm Thick Tempered 135° Door Hinge - 304 Staineless Steel or brass

- SUS304 stainless steel or brass hinges
- To install as diamond shower screens
- More panels available to match other non-standard sizes
- Glass shelf is optional to add

#### **Accessory Finishes**





Size available from 800\*800 to 1150\*1150





<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



# PC07 and KW07 - Semi-Frame Sliding Door

PRODUCT INFORMATION					
Components	Image	Specification	Material		
Glass		6mm Thick	Tempered		
Door Rollers	(2)		304 Stainless steel wheel shaf		

Can be installed as Wall to Wall or as L shape with return panel

#PC07D Available Sizes Scale					
Front Door Size (mm) Min Open Space (mm) Max Open Space (mn					
920-1000	400	430			
1000-1100	460	538			
1100-1200	420	500			
1200-1350	430	571			
1350-1500	500	646			
1500-1750	530	766			
R	eturn Panel Size (mm)				
(790-810)*1900	(840-860)*1900	(890-910)*1900			
(040, 060)+1000	(000, 1010),1000				

#### **Accessory Finishes**











<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



# PC47S (also named CVS/NC-47S) - Semi-Frame Double Sliding Door

	PRODUCT INFORMATION					
Components	Image	Specification	Material			
Glass		6mm Thick	Tempered			
Door Rollers		-	304 Stainless steel wheel shaft			

- High quality 6463 aluminum frame
- High quality roller
- 2 sliding door to open from center, size is adjustable at both side
- Sizes can be mixed to make rectangular size as 900\*1000





#PC47S Ava	#PC47S Available Sizes Scale (Height: 1900mm)				
Left Half (mm)	Right Half (mm)	Open Space (mm)			
800	800	489			
850	850	520			
900	900	505			
950	950	539			
1000	1000	576			
1050	1050	599			
1100	1100	632			
1200	1200	695			

#### **Accessory Finishes**





Chrome



BrushGold



<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*

# **PCH47S** -Double Sliding Doors

- High Quality 6463
   Aluminum Frame
- High Quality Roller
- 2 Sliding Doors to Open from Center to Both Sides
- Front Door or Return
   Panel are available





#PC47S Available Sizes Scale
(1400-1500)*1900
(1500-1600)*1900
(1600-1700)*1900
(1700-1800)*1900
(1800-1900)*1900
(1900-2000)*1900
(2000-2100)*1900
(2100-2200)*1900

#### **Accessory Finishes**





Black

Chrome

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



# **CVC47S** - Curved Semi-Frame Double Sliding Door

# PRODUCT INFORMATION Components Image Specification Material Glass 6mm Thick Tempered Door Rollers - 304 Stainless steel wheel shaft

# #CVC47S Available Sizes Scale

Panel Size (mm)	Open Space (mm)
(790-810) * (790-810)	About 500
890-910) * (890-910)	About 600
(990-1010) * (990-1010)	About 680

- High quality 6463 aluminum frame
- High quality roller
- 2 sliding door to open from center, size is adjustable at both side













<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



# PC036 - Framed 3 Panels Sliding Door

PRODUCT INFORMATION				
Components	Image	Specification	Material	
Glass		-	Tempered	

#PC036 Front Door Size	(mm)
(880-930)*1900	
(930-980)*1900	
(980-1030)*1900	

#### **Accessory Finishes**



Return Panel Size(mm)
(790-810)*1900
(840-860)*1900
(890-910)*1900
(940-960)*1900
(990-1010)*1900
High quality aluminum frame

- High quality aluminum frame
- To install wall to wall and L shape



<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



# CVP025-01 - Semi-Frame Pivot Door

#### #CVP025-01 Available Sizes Scale

Size (mm) Open Space (mm) (850-1000)\*900 Fixed Panel 535

	ĺ
1 -	





Components	Image	Specification	Material
Glass		6mm Thick	Tempered
Door Hinge		-	304 Staineless Stee









- Installation direction is reversible
- High quality 6463 aluminum frame with Stainless steel 304 hinges

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



PC025R - Return Panel

PRODUCT INFORMATION				
Components Image Specification Material				
Glass		-	Tempered	

- Adjustable semi-frameless pivotal door
- Installation direction is reversible
- High quality 6463 aluminum frame with Stainless steel 304 hinges
- To install wall to wall and L shape

# #PC-025D Wall 2 Wall #PC-025R Door Size (mm) Return Panel Size (mm) (700-800)\*1900 (790-810)\*1900 (780-910)\*1900 (840-860)\*1900 (890-1020)\*1900 (890-910)\*1900 (1000-1170)\*1900 (940-960)\*1900 (1150-1320)\*1900 (990-1010)\*1900

#### **Accessory Finishes**









Black Chrome Brushed Gold

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*







# **CVP026**

- Semi-Frame Diamond Shower Screen

#### **PRODUCT INFORMATION**


Components	Image	Specification	Material
Glass		6mm Thick	Tempered
Door Hinge	3	-	304 Staineless Steel

#CVP026 Available Sizes Scale			
Panel Size (mm) Side Panel Size (mm)		Door Panel Size (mm) (Outside size after installation)	
900*900*1900	462	620	
1000*1000*1900	562	620	



#PC026 Available Sizes Scale			
Size (mm)	Side Panel Size (mm)	Door Panel Size (mm) (Outside size after installation)	
(890-910) *(890-910)	437-457	638 (Open space 500)	
(990-1010)*(990-1010)	537-557	638 (Open space 500)	
	·		

- SUS304 stainless steel hinges
- To install as Diamond Shape
- High quality #6463 aluminum







#### **Accessory Finishes**



Chrome

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



# **NC005**

10mm Fixed Panel
 With Black Frame

## **#NC005 Available Sizes Scale**

Panel Size (mm)

1000\*2100 1100\*2100



Black













**CVP007** 

#### **Frameless Walk-in Shower Panel**

#### **PRODUCT INFORMATION**

Components	Image	Specification	Material
Glass		10mm Thick	Tempered
Wall Brackets	V	-	304 Staineless Steel or Brass

#CVP007 Available Sizes Scale			
Panel Size (mm)	Panel Height(mm)		
200, 250, 300, 400	2000		
450, 500, 550, 600	2000		
650, 700, 750, 780	2000		
800, 830, 850, 880	2000		
890, 900, 910, 930	2000		
950, 980, 990,1000	2000		
1010, 1080, 1100	2000		
1180, 1200	2000		
More sizes available	Please check with supplier		



<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*

# **CVP011** - Single Fixed Panel with wall channel




PRODUCT INFORMATION			
Components	Image	Specification	Material
Glass		10mm Thick	Tempered
Wall Channel		-	304 Staineless Steel

#CVP011 Available Sizes Scale		
Panel Size (mm)		
900*2000		
1000*2000		
1200*2000		







# **CVP022**

Arch walk in single panel

PRODUCT INFORMATION			
Components	Image	Specification	Material
Glass		10mm Thick	Tempered
Wall Brackets		-	304 Staineless Steel or Brass

# CVP022 Available sizes (mm) Wide Height 900 2200 1000 2200



# **CVP017**

Curved corner walk in panel Radius of curve: 200mm

CVP017 Availa	ıble sizes (mm)
Wide	Height
900	2000
1000	2000
1200	2000

#### Available accessory colors



<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



#### **#NC009 Available Sizes Scale**

Panel Size (mm)
750*1500
900*1500

## PRODUCT INFORMATION

Components	Image	Specification	Material
Glass		6 mm Thick	Tempered

#### **Accessory Finishes**





#CVP010 Available Sizes Scale Panel Size (mm) Openning Size (mm) 1000\*1450 717\*1450 1200\*1450 717\*1450





<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*

# **CVP008** - Frameless Bathtub Screen

#CVP008 Available Sizes Scale		
Panel Size (mm)		
750*1500		
900*1500		

#### **PRODUCT INFORMATION**

Components	Image	Specification	Material
Glass		10mm Thick	Tempered
Wall Brackets	V	-	304 Staineless Steel or Brass







CVP006 - Hinged Bathtub Screen

#### #CVP006 Available Sizes Scale

Panel Size (mm)

850\* 1500 (500 H+ 350D)

1000\* 1500 (500 H+ 500D)

PRODUCT INFORMATION			
Components	Image	Specification	Material
Glass		10mm Thick	Tempered
Wall Brackets and Hinges	V	-	304 Staineless Steel or Brass






<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*

# **CVP032**

# Frameless sliding overbathtub






# **CVP012-** Fading black Single Panel

PRODUCT INFORMATION					
Components Image Specification Material					
Glass	710	10mm Thick	Tempered		
Wall Channel		-	304 Staineless Steel		

#CVP012 Available Sizes Scale			
Panel Size (mm)			
900*2000			
1000*2000			
1200*2000			



<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*





**#NC007 Available Sizes Scale** 

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*

#### **Framed Walk In Shower Panel Series**

#### PRODUCT INFORMATION FOR ALL WALK IN PANEL SERIES

Components	Image	Specification	Material
Glass		6mm Thick	Clear Tempered

#### Accessory Finishes For All Walk In Panel Series







#### **#NC006 Available Sizes Scale**

Panel Size (mm)

1000\*2000









## #NC001 Available Sizes Scale

Panel Size (mm)
900\*2000 1000\*2000

#### **#NC002 Available Sizes Scale**

Panel Size (mm)

900\*2000 1000\*2000 1050\*2000

#### #NC003 Available Sizes Scale

Panel Size (mm)

1000 1100

• More sizes will be available for all models. Please check with supplier.

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*



# **DS03** - Frameless By-passing Sliding Doors with Wall-Profile

PRODUCT INFORMATION			
Components	Image	Specification	Material
Glass		10mm Thick	Tempered
Roller	9	55mm Φ	304 Staineless Steel
Rail	15/100	40*15mm	304 Staineless Steel & Aluminum
Wall Channel	Ť	18mm(W) *2000mm(L)	304 Staineless Steel

#DS03 Available Sizes Scale			
Front Door Size (mm)	Min Open Space (mm)	Max Open Space (mm)	
(1180-1300)*2000	505	625	
(1300-1450)*2000	550	700	
(1450-1650)*2000	600	800	
(1650-1800)*2000	725	875	





- Two sliding doors opening either left or right
- Specially designed wall profile with slot cut simplifies rail installation
- Offers 10-15mm out-of-plumb adjustment

#### **Accessory Finishes**





Black

Chrome

<sup>\*\*\*</sup>Dimensions are approximate. Information provided here is representative of the actual products available at the time of printing. The specifications depicted are subject to change without notice as we develop our products continuously.\*\*\*

# QUALITY Extraordinary



Excellent design can be used to experience, enjoy and breathe.

# **EXCELLENT DESIGN**

Need special dimensions or height to fit your shower spaces, we also specialize in customizing your shower screens.

Please enquire via your local retailers, we will tailor your special needs into reality. . . . . .



Warehouse Address: 2/118 Bungaree Rd, Pendle Hill NSW 2145 Australia

Email: Sales@ozcovey.com.au

Website: www.ozcovey.com.au

QLD Branch: 14 Annie St, Coopers Plains QLD 4108 Australia

Email: SalesQLD@ozcovey.com.au